

| شماره | مدل | تصویر | خصوصیات | قیمت |
|-------------------------------|------------|---|--|--------------------|
| 2 Megapixel AHD Camera | | | | |
| 1 | HW-AD220HB |  | 2MP AHD BULLET CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max ARRAY IR distance: 20 meters OSD menu, D&N, DWDR, 2DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66 | تماس بگیرید |
| 2 | HW-AD230MB |  | 2MP AHD FIXED BULLET CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max SMD IR distance: 20 meters OSD menu, D&N, DWDR, 3DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66 | تماس بگیرید |
| 3 | HW-AD230EB |  | 2MP AHD FIXED BULLET CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max ARRAY IR distance: 30 meters OSD menu, D&N, DWDR, 3DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66 | تماس بگیرید |
| 4 | HW-AD240EB |  | 2MP AHD FIXED BULLET CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max ARRAY IR distance: 40 meters OSD menu, D&N, DWDR, 3DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66 | تماس بگیرید |
| 5 | HW-AD240VB |  | 2MP AHD VARIFOCAL BULLET CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 2.8~12 mm lens (3MP), 0 lux IR on Max ARRAY IR distance: 40 meters OSD menu, D&N, DWDR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66 | تماس بگیرید |

| | | | | |
|----|------------|---|--|--------------|
| 6 | HW-AD120MB |  | <p>2MP AHD BULLET CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max SMD IR distance: 20 meters OSD menu, D&N, DWDR, 2DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66</p> | تماس بگیریید |
| 7 | HW-AD125HB |  | <p>2MP AHD FIXED BULLET CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max SMD IR distance: 25 meters OSD menu, D&N, DWDR, 3DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66</p> | تماس بگیریید |
| 8 | HW-AD120HB |  | <p>2MP AHD FIXED BULLET CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max SMD IR distance: 25 meters OSD menu, D&N, DWDR, 3DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66</p> | تماس بگیریید |
| 9 | HW-AD140VB |  | <p>2MP AHD VARIFOCAL DOME CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 2.8~12 mm lens (3MP), 0 lux IR on Max SMD IR distance: 40 meters OSD menu, D&N, DWDR, 3DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66</p> | تماس بگیریید |
| 10 | HW-AD224LB |  | <p>2MP AHD FIXED BULLET CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max SMD IR distance: 20 meters OSD menu, D&N, DWDR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66</p> | تماس بگیریید |
| 11 | HW-AD230ED |  | <p>2MP AHD FIXED DOME CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max ARRAY IR distance: 20 meters OSD menu, D&N, DWDR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66</p> | تماس بگیریید |

| | | | | |
|----|------------|---|---|--------------|
| 12 | HW-AD224MD |  | 2MP AHD FIXED DOME CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max SMD IR distance: 20 meters OSD menu, D&N, DWDR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66 | تماس بگیریید |
| 13 | HW-AD236HD |  | 2MP AHD VARIFOCAL DOME CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 2.8~12 mm lens (3MP), 0 lux IR on Max SMD IR distance: 35 meters OSD menu, D&N, DWDR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66 | تماس بگیریید |
| 14 | HW-AD120FD |  | 2MP AHD FIXED DOME CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max SMD IR distance: 20 meters OSD menu, D&N, DWDR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66 | تماس بگیریید |
| 15 | HW-AD120VD |  | 2MP AHD VARIFOCAL DOME CAMERA 1/2.7" 2MP APTINA CMOS Image Sensor 2.8~12 mm lens (3MP), 0 lux IR on Max SMD IR distance: 20 meters OSD menu, D&N, DWDR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66 | تماس بگیریید |

AHD DVR (1080P-1080N)

| | | | | |
|----|------------|---|---|--------------|
| 16 | HW-3004HVR |  | 4 CHANNEL 1080P/1080N/720P AHD DIGITAL VIDEO RECORDER Support up to 4 channel video input Support AHD/IP/analog camera triple Support 1080p (15fps), 1080N (25fps), 720p (25fps) Support 16 CH IP camera (2MP) Onvif Support 4 CH sync real time playback HDMI, VGA Support 1 SATA(6TB) & 2*USB 2.0 Support 4/1 Audio I/O, two way talk RS-485, RJ45 (100M) Network monitoring by web viewer, VMS, Hi-view Mobile Phones, P2P | تماس بگیریید |
|----|------------|---|---|--------------|

| | | | | |
|----|------------|---|--|--------------|
| 17 | HW-3008HVR |  | <p>8 CHANNEL 1080P/1080N/720P AHD DIGITAL VIDEO RECORDER Support up to 8 channel video input Support AHD/IP/analog camera triple Support 1080p (12fps), 1080N (25fps), 720p (25fps) Support 8 CH IP camera (2MP) Onvif Support 8 CH sync real time playback HDMI, VGA Support 2 SATA(Up to 12TB) & 2*USB 2.0 Support 8/1 Audio I/O, 4/1 alarm I/O, two way talk RS-485, RJ45 (100M) Network monitoring by web viewer, VMS, Hi-view Mobile Phones, P2P</p> | تماس بگیریید |
| 18 | HW-3016HVR |  | <p>16 CHANNEL 1080P/1080N/720P AHD DIGITAL VIDEO RECORDER Support up to 16 channel video input Support AHD/IP/analog camera triple Support 1080p (12fps), 1080N (25fps), 720p (25fps) Support 8 CH IP camera(2MP) Onvif Support 16 CH sync real time playback HDMI, VGA Support 2 SATA & 2*USB 2.0 Support 6/1 Audio I/O, 4/1 alarm I/O, two way talk RS-485, RJ45 (100M) Network monitoring by web viewer, VMS, Hi-view Mobile Phones, P2P</p> | تماس بگیریید |
| 19 | HW-2004HVR |  | <p>4 CHANNEL 1080N HVR (5 IN 1) Support 4 CH Camera Input Support AHD, TVI, CVI, CVBS, IP video input All Channel 1080N Real time Support 8 CH IP Camera(2MP) Onvif Support 4 CH Sync Play back HDMI & VGA Output Support 1 SATA (Up to 6TB), 2*USB2.0 ports Support 4/1 Audio I/O, Two Way Talk RS-485, RJ45(100M) Network Monitoring by Web Viewer, VMS, Hi-View Mobile Phone, P2P</p> | تماس بگیریید |

| | | | | |
|----|------------|--|--|-------------|
| 20 | HW-2008HVR |  | <p>8 CHANNEL 1080N HVR (5 IN 1) Support 8 CH Camera Input Support AHD, TVI, CVI, CVBS, IP video input All Channel 1080N Non-real time Support 16 CH IP Camera(2MP) Onvif Support 8 CH Sync Play back HDMI & VGA Output Support 1 SATA (Up to 6TB), 2*USB2.0 ports Support 4/1 Audio I/O, Two Way Talk RS-485, RJ45(100M) Network Monitoring by Web Viewer,VMS, Hi-View Mobile Phone, P2P</p> | تماس بگیرید |
| 21 | HW-2016HVR |  | <p>16 CHANNEL 1080N HVR(5 IN 1) Support 16CH Camera Input Support AHD, TVI, CVI, CVBS, IP video input All Channel 1080N Non-real time Support 8 CH IP Camera(2MP) Onvif Support 16 CH Sync Play back HDMI & VGA Output Support 2 SATA (Up to 12TB) , 2*USB2.0 ports Support 6/1 Audio I/O, 4/1 alarm, I/O Two Way Talk RS-485, RJ45(100M) Network Monitoring by Web Viewer, VMS, Hi-View Mobile Phone, P2P</p> | تماس بگیرید |